

# New Fly

## Características Técnicas

- Cartuchos cerámicos monomando.
- Ø35mm en Ducha, Baño-ducha, Fregadero mural, Fregadero vertical, Ducha empotrado y Baño-ducha empotrado.
- Ø40mm en Lavabos, Bidé, Fregaderos extraíble.
- Cartuchos cerámicos monomando con Sistema Termostop Block de limitación de la temperatura máxima del agua caliente y con Sistema de ahorro de agua (S2-C2) mediante la apertura de la manecilla en dos fases. Disponible en algunos modelos el Sistema de apertura central en frío (S3-C3).
- Caudal a 3 bar: Lavabo, Bidet y Fregadero (de 9 a 12 l/min). Ducha (de 12 a 16 l/min). Baño ( $\geq 20$  l/min).
- Prestaciones de confort a nivel de fidelidad, sensibilidad y constancia en la selección de la temperatura.
- Nivel acústico a 3 bar < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0,3 micras de cromo.
- Presión de uso entre 1-5 bar, recomendada 3 bar. Resiste presiones estáticas  $\leq 10$  bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Resistente al choque térmico y químico anti-legionela.
- Certificado sanitario ACS.
- Ánodo de sacrificio anticorrosión de zinc-magnesio.tacto para evitar quemaduras.

## Technical Characteristics

- Ceramic mixer tap cartridge.
- Ø35mm for showers, bath-showers, vertical sinks, embedded showers and embedded bath-showers.
- Ø40mm for washbasins, bidets, removable sinks.
- Ceramic mixer tap cartridge with Termostop Block System limiting the maximum temperature of hot water and a water saving system (S2-C2) by a two-phase opening lever. The cold central opening system (S3-C3) is available in some models.
- Flow rate at 3 bar: Washbasin, bidet and sink (from 9 to 12 l/min.); Shower (from 12 to 16 l/min.); and Bath ( $\geq 20$  l/min.).
- Comfortable performance as regards to reliability, sensitivity and reliability in the temperature selection.
- Acoustic level at 3 bar: < 20 dB
- Chrome-plated brass: 15 microns thickness of nickel, 0.3 microns of chrome.
- Working pressure between 1-5 bar, recommended pressure: 3 bar. It resists static pressures  $\leq 10$  bar and pressure oscillations of 25 bar.
- Recommended temperature for the hot water: 55°C. Maximum working temperature: 65°C. Maximum: 1h at 90°C.
- Resistant to thermal and anti-Legionella chemical shocks.
- ACS health compliance certificate.
- Zinc-Magnesium Anti-corrosion Sacrificial Anode.



New fly




CR

NM



Montaje sin herramientas  
Tool-free system



Cartucho Cartridge: 40100-3

### 570221

57A307809

New Fly, monomando de lavabo.  
New Fly, washbasin single-lever mixer.

### 570221VA(9065)

57A307812

New Fly, monomando de lavabo, con válvula automática de ABS 1/4".  
New Fly, washbasin single-lever mixer with 1/4" automatic ABS valve.

Ref. 9065 ABS

### 570221VA(1169)

57A307811

New Fly, monomando de lavabo, con válvula automática de inox 1/4".  
New Fly, washbasin single-lever mixer with 1/4" automatic stainless steel valve.

Ref. 1169 INOX



### Ahorro de energía Apertura en frío

Energy saving  
Cold opening



Cartucho Cartridge: 40301-3

### 570223

57A307810

New Fly, monomando de lavabo con apertura en frío.  
New Fly, washbasin mixer, cold opening.

### 570223VA(9065)

57A307814

New Fly, monomando de lavabo, apertura en frío con válvula automática 1/4".  
New Fly, washbasin mixer cold opening with stainless steel pop-up waste 1/4".


Ref. 9065 ABS

### 570223VA(1169)

57A307813

New Fly, monomando de lavabo, apertura en frío con válvula automática 1/4".  
New Fly, washbasin mixer cold opening with stainless steel pop-up waste 1/4".

Ref. 1169 INOX



Cartucho Cartridge: 35100-3



### 570111

57A305652

### 570111NM

57A305996

New Fly, monomando de lavabo inclinado.  
New Fly, inclined washbasin single-lever mixer.

### 570111VA9065

57A306062

New Fly, monomando de lavabo inclinado, con válvula automática de ABS 1/4".  
New Fly, inclined washbasin single-lever mixer with 1/4" automatic ABS valve.

Ref. 9065 ABS

### 570111VA1169

57A306058

New Fly, monomando de lavabo inclinado, con válvula automática de inox 1/4".  
New Fly, inclined washbasin single-lever mixer with 1/4" automatic stainless steel valve.

Ref. 1169 INOX



### Ahorro de energía Apertura en frío

Energy saving  
Cold opening



Cartucho Cartridge: 35300-3

### 570113

57A305995

New Fly, monomando de lavabo inclinado, sistema S3 apertura en frío.  
New Fly, inclined washbasin single-lever mixer, S3 system cold opening.

### 570113VA9065

57A306064

New Fly, monomando de lavabo inclinado, con válvula automática de inox 1/4 y sistema S3 apertura en frío.  
New Fly, inclined washbasin single-lever mixer with 1/4" automatic stainless steel valve and S3 system cold opening.

Ref. 9065 ABS


### 570113VA1169

57A306063

New Fly, monomando de lavabo inclinado, con válvula automática de ABS 1/4 y sistema S3 apertura en frío.  
New Fly, inclined washbasin single-lever mixer with 1/4" automatic ABS valve and S3 system cold opening.

Ref. 1169 INOX






**571011**  
57A306082

**571011NM**  
57A306083

New Fly, monomando de lavabo alto.  
New Fly, tall washbasin single-lever mixer.



Cartucho Cartridge: 35100 (6689-2)




**571101**  
57A303579

New Fly, monomando de lavabo caño giratorio.  
New Fly, swivel spout washbasin single-lever mixer.



Cartucho Cartridge: 35200 (6689C2)



**570321**  
57B307815

**570321NM**  
57B307817

New Fly, monomando de bidé S2.  
New Fly, single lever bidet mixer S2.

**570321VA(9065)**  
57B307819

New Fly, monomando de bidé con válvula automática de ABS 1/4\"/>


Ref. 9065 ABS

**570321VA(1169)**  
57B307818

New Fly, monomando de bidé con válvula automática de inox 1/4\"/>

Ref. 1169 INOX

Cartucho Cartridge: 40100-3



**572201**

57D303556

572201S-9989SC-9553+2950C

New Fly, monomando para peluquería con equipo de ducha.  
New Fly, hairdressing single-lever mixer with shower kit.




**572201S**

57D303555

New Fly, monomando para peluquería.  
New Fly, hairdressing single-lever mixer.

Cartucho Cartridge: 40101



**SA572301**

57B303554

**SA572301NM**

57B306752

New Fly, monomando para bidé de repisa con ducha.  
New Fly, deck-mounted bidet single-lever mixer with shower.



Venta en el Continente  
Americano  
Available in North, Central  
& South America

Cartucho Cartridge: 40100 (3388)


Recomendaciones Recommendations



**1219L**  
197106

**1219LNM**  
99Z302477


Válvula de latón para desagüe  
sistema Click Clack.  
Quick Clack waste brass.



**121603P**  
AAZ307804


**121603PNM**  
AAZ307805


Sistema CLICK CLACK lavabo  
en PVC.  
CLICK CLACK wash PVC system.



**1290**  
204405

Sifón Latón.  
Brass Siphon.





**570502S**  
57C303572



**570502SNM**  
57C303580

New Fly, monomando de baño-ducha.  
New Fly, bath-shower single-lever mixer.



**570502T1**

57C303574  
570502S+3520T1+3726+1128C

New Fly, conjunto monomando de baño-ducha con equipo de ducha.

New Fly, bath-shower single-lever mixer set with shower kit.



**570502T3**

57C303573  
570502S+5840T3+3726+1128C

New Fly, conjunto monomando de baño-ducha con equipo de ducha.

New Fly, bath-shower single-lever mixer set with shower kit.




**570502BTNM**

57C303581  
570502SNM+2876BTNM+372602NM+2475CNM

New Fly, conjunto monomando de baño-ducha con equipo de ducha.

New Fly, bath-shower single-lever mixer set with shower kit.

Cartucho Cartridge: 35200-2



**570802S**  
57D303575

**570802SNM**

57D303699

New Fly, monomando de ducha.  
New Fly, shower single-lever mixer.



**570802T1**

57D303577  
570802S+3520T1+3726+1128C

New Fly, conjunto monomando de ducha con equipo de ducha.

New Fly, shower mixer set with shower kit.



**570802T3**

57D303576  
570802S+5840T3+3726+1128C

New Fly, conjunto monomando de ducha con equipo de ducha.

New Fly, shower mixer set with shower kit.



**570802BTNM**


57D303583  
570802SNM+2876BTNM+372602NM+2475CNM

New Fly, conjunto monomando de ducha con equipo de ducha.

New Fly, shower mixer set with shower kit.

Cartucho Cartridge: 35200-2



**1 Via/Way****571801S**

57D303551

XX1801+KX1+5700N-35

**571801SNM**

57D303569


XX1801NM+KX1NM+5700N-35NM

New Fly, monomando de ducha empotrado metálico 1 vía con placa ultraslim.

New Fly, 1-way built-in metal shower mixer with ultraslim plate.



Cartucho Cartridge: 35100 (6689-2)

**2 Vías/Ways****571502S**

57C303552

XX1502+KX2+945100+5700N-35

**571502SNM**

57C303570

XX1502NM+KX2NM+945100NM+5700N-35NM

New Fly, monomando de ducha empotrado metálico 2 vías con placa ultraslim.


New Fly, 2-way built-in metal shower mixer with ultraslim plate.



Cartucho Cartridge: 35100 (6689-2)+4004





**1 Vía/Way****K5718012**

57D304228  
571801S+BHRP240

**K5718012NM**


57D304229  
571801SNM+BHRP240NM

New Fly, conjunto monomando empotrado metálico 1 vía con rociador Ø240mm.

New Fly, 1-way built-in metal shower mixer with Ø240mm showerhead.



Cartucho Cartridge: 35100 (6689-2)

**2 Vías/Ways****K5715021**

57C304225  
571502S+BHRP240+2876BT+3796+2471C

**K5715021NM**


57D304226  
571502SNM+BHRP240NM+2876BTNM+3796NM+2475CNM

New Fly, conjunto monomando empotrado metálico 2 vías con soporte, toma de agua, teleducha y rociador Ø240mm.

New Fly, 2-way built-in metal shower mixer set with support, water intake, hand shower, and Ø240mm showerhead.



Cartucho Cartridge: 35100 (6689-2)+4004




**572601**  
57E303550

New Fly, monomando de fregadero con caño alto giratorio 360°.  
New Fly, sink single-lever mixer with 360° high swivel spout.



Cartucho Cartridge: 35100-3




**570611**  
57E303548

**570611NM**  
57E306167

New Fly, monomando de fregadero con caño alto giratorio.  
New Fly, sink single-lever mixer with high swivel spout.



Cartucho Cartridge: 35100 (6689-2)




**570621**  
57E308415

New Fly, monomando de fregadero con caño giratorio.  
New Fly, sink single-lever mixer with swivel spout.



Cartucho Cartridge: 35100-3




**571701CC**  
57E303557

New Fly, monomando de fregadero a pared con caño alto giratorio.  
New Fly, wall-mounted sink single-lever mixer with high swivel spout.



Cartucho Cartridge: 35100

**570701CCB14**


57E303558

New Fly, monomando de fregadero mural con caño conformado corto.

New Fly, wall-mounted sink single-lever mixer with short formed spout.



Cartucho Cartridge: 35100-3

**570701CC**


57E303559

New Fly, monomando de fregadero mural con caño giratorio.

New Fly, wall-mounted sink single-lever mixer with swivel spout.



Cartucho Cartridge: 35100-3

**570901**


57E303549

New Fly, monomando de fregadero con caño bajo giratorio.

New Fly, sink single-lever mixer with low swivel spout.



Cartucho Cartridge: 40200-2

**579901**

57E303578

New Fly, monomando de fregadero con caño bajo giratorio.

New Fly, sink single-lever mixer with low swivel spout.



Cartucho Cartridge: 40200-2